


WILLIAM L. KLIMA *

WALTER F. KLIMA, JR., Ph.D., Chemistry
Technical Consultant

*ADMITTED IN PENNSYLVANIA ONLY



LAW OFFICES OF
WILLIAM L. KLIMA
A PROFESSIONAL LAW CORPORATION
Patent, Trademark & Copyright Law

2046-C JEFFERSON DAVIS HIGHWAY
STAFFORD, VA 22554
PHONE: (540) 657-9344
FAX: (540) 657-9343

e-mail: commcenter@acupat.com

AFFILIATIONS

FRISENDA, QUINTON & NICHOLSON
73 COUNTRY CLUB LANE
LAS VEGAS, NV 89109
PHONE: (702) 369-9772
FAX: (702) 792-6727

425 PARK AVENUE
5TH FLOOR
NEW YORK, NY 10022
PHONE: (212) 223-1005
FAX: (212) 754-6262

ACUPAT SERVICES
STAFFORD, VA

DAC

June 28, 2002

Attention: Office of Petitions
Assistant Commissioner for Patents
Box DAC
Washington, D.C. 20231

Re: U.S. Utility Patent Application
Appl. No.: 09/094,505; Filed: June 10, 1998
For: **CARTRIDGE FILLING AND SEALING APPARATUS**
Inventors: Walter F. Klima, Jr. *et al.*
Our Ref: 100-168P-WLK

RECEIVED

JUL 02 2002

OFFICE OF PETITIONS

Sir:

The following documents are forwarded herewith for appropriate action by the U.S.
Patent and Trademark Office (PTO):

1. Petition for Revival of an Application Abandoned Unintentionally Under 37 CFR 1.137(a);
2. Amendment and Response;
3. Letter Requesting Approval of Drawing Corrections with one (1) sheet of Drawing; and
3. Our Check in the amount of \$640.00 to cover the following: (\$640.00) Petition For Revival Of An Application For Patent Abandoned Unintentionally Under 37 C.F.R. 1.137(a) small entity-fee (37 CRF 1.17(m)).

It is respectfully requested that the attached post card be stamped with the filing date of these documents and returned.

The Commissioner is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 11-1243. If extensions of time under 37 C.F.R. § 1.136 are required to prevent abandonment of the present patent application, then such extensions of time are hereby petitioned, and any fees therefor are hereby authorized to be charged to our Deposit Account No. 11-1243. A duplicate copy of this letter is enclosed.

Respectfully submitted,

William L. Klima
Attorney for Applicants
Registration No. 32,422

Enclosures

F:\SPRAYEX\09-094505\REVIVE.PTO.wpd

#12

JUN 28 2002
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of:

Walter F. Klima, Jr. *et al.*

Appl. No.: 09/094,505

Filed: June 10, 1998

For: **CARTRIDGE FILLING AND
SEALING APPARATUS**

Art Unit: 3751

Examiner: T. Maust

Atty. Docket: 100-168P-WLK

Letter Requesting Approval of Drawing Corrections

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Approved
TUM
6/15/02


Please find enclosed one (1) sheet of revised drawings showing the addition of Figure 5(e) in red ink. This figure is being added to fulfill the requirements under 37 C.F.R. 1.83(a), requiring that the feature of claim 28 must be shown or the feature canceled from the claim(s). No new matter has been added.

It is not believed that extensions of time are required beyond those that may otherwise be provided for in accompanying documents. However, in the event that additional extensions of time are necessary to prevent abandonment of this application, then such extensions of time are hereby petitioned under 37 C.F.R. § 1.136(a), and any fees required therefor are hereby authorized to be charged to our Deposit Account No. 11-1243.

The Commissioner is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 11-1243.

Respectfully submitted,

LAW OFFICES OF WILLIAM L. KLIMA, P.C.


William L. Klima
Attorney for Applicants
Registration No. 32,422

Date: June 28, 2002

P.O. Box 2855
Stafford, VA 22555-2855
(540) 657-9344